



316 Old Hickory Blvd East, Madison, TN 37115

tel (615)612-4270 fax (615)860-9171

sold@naturesgift.com

Balancing Body, Mind and Spirit with Pure Essential Oils

Since 1995

www.naturesgift.com

Frankincense (White)

Boswellia sacra

Batch #OM-59066

Oman

| | |
|-----------------------|---------------|
| Monoterpenes | 87.23% |
| α pinene | 67.04 |
| limonene | 3.49 |
| δ-3- carene | 3.26 |
| camphene | 2.59 |
| β pinene | 2.12 |
| sabinene | 2.02 |
| α phellandrene | 1.82 |
| para cymene | 1.36 |
| myrcene | 1.07 |
| thuja-2,4(10)-diene | 0.53 |
| (Z) β ocimene | 0.48 |
| (E) β ocimene | 0.36 |
| α thujene | 0.34 |
| hashishene | 0.23 |
| terpinolene | 0.15 |
| γ terpinene | 0.11 |
| tricyclene | 0.10 |
| allo ocimene | 0.07 |
| α terpinene | 0.07 |
| 2-carene | 0.02 |
| Aldehydes | 0.56% |
| α campholene aldehyde | 0.56 |

| | |
|---------------------------|--------------|
| Monoterpenols | 4.31% |
| trans-verbenol | 1.22 |
| para-mentha-1,5-dien-8-ol | 0.92 |
| trans-pinocarveol | 0.68 |
| α terpinenol | 0.64 |
| cis-verbenol | 0.31 |
| terpinen-4-ol | 0.2 |
| trans-carveol | 0.12 |
| para-cymen-8-ol | 0.11 |
| linalool | 0.09 |
| cis-carveol | 0.02 |
| Ethers | 0.51% |
| 1,8-cineole | 0.36 |
| α pinene oxide | 0.05 |
| caryophyllene oxide | 0.05 |
| luguloxide | 0.04 |
| (Z) limonene oxide | 0.01 |
| Esters | 0.58% |
| bornyl acetate | 0.45 |
| α-terpinyl acetate | 0.11 |
| octan-3-yl acetate | 0.02 |
| Ketones | 0.87% |
| verbenone | 0.58 |
| pinocarvone | 0.18 |
| pinocamphone | 0.05 |
| 6-methyl-5-hepten-2-one | 0.03 |
| carvone | 0.03 |

| | |
|------------------------|--------------|
| Sesquiterpenes | 3.31% |
| β elemene | 0.77 |
| β bourbonene | 0.61 |
| β selinene | 0.43 |
| cis-caryophyllene | 0.38 |
| α selinene | 0.21 |
| β cadinene | 0.19 |
| germacrene D | 0.19 |
| α copaene | 0.16 |
| α humulene | 0.12 |
| γ muurolene | 0.09 |
| β copaene | 0.07 |
| α muurolene | 0.05 |
| allo-aromadendrene | 0.04 |
| γ cadinene | 0.03 |
| cyclosativene | 0.03 |
| α gurjunene | 0.02 |
| Sesquiterpenols | 0.18% |
| epi-cubebol | 0.03 |
| elemol | 0.01 |
| viridiflorol | 0.05 |
| guaiol | 0.05 |
| β eudesmol | 0.04 |

Raw Material: resin

Botanical Name: *Boswellia sacra*

Production Method: Steam distillation

Date of Analysis: 6/15/2020

Client



Source



Frankincense Sacra (*Boswellia sacra*)
OM-59066

Sample

Frankincense Sacra (*Boswellia sacra*)

Batch #:..... OM-59066

Type:..... Essential Oil

CAS Number:... 8016-36-2

Nature's Gift

Client



Website



Primary

| | |
|---------------|-----------------------|
| <u>67.04%</u> | <u>alpha-Pinene</u> |
| <u>3.49%</u> | <u>Limonene</u> |
| <u>3.26%</u> | <u>delta-3-Carene</u> |

Result

*Essential Validation Services*747 SW 2nd Ave IMB 12 Suite 306
Gainesville, FL 32601

317.361.5044 |


<https://essentialvalidationservices.com/>

adam@essentialvalidationservices.com

Adam Christian

Monoterpenes

87.00%




Percentage Identified

Conclusion

No adulterants, diluents, or contaminants were detected via this method. This oil meets the expected profile for genuine Essential Oil of Frankincense Sacra (*Boswellia sacra*)

Internal Number: | EVS-3738



- Essential Oil testing is performed by using qualitative GC-MS. Method: SOP.T.01 Client Method
- This report may not be published without the consent of Essential Validation Services.
- Chromatograph image may be requested
- This report is valid for 1 year from the analyzed date

Essential Validation Services

6/15/2020

Client



Source

*Frankincense Sacra (Boswellia sacra)*

OM-59066

| Total Percentage | | 97.78% | | |
|------------------|-------|--------|---------------------------|----------------------|
| Number | RT | Area % | Compound Name | Chemical Family |
| 1 | 3.75 | 0.08% | Toluene | Simple Phenolic |
| 2 | 6.69 | 0.03% | Santene | Normonoterpene |
| 3 | 8.07 | 0.23% | Hashishene | Monoterpene |
| 4 | 8.16 | 0.10% | Tricyclene | Monoterpene |
| 5 | 8.33 | 0.34% | alpha-Thujene | Monoterpene |
| 6 | 8.66 | 67.04% | alpha-Pinene | Monoterpene |
| 7 | 9.20 | 2.59% | Camphene | Monoterpene |
| 8 | 9.37 | 0.53% | Thuja-2,4(10)-diene | Monoterpene |
| 9 | 10.16 | 2.02% | Sabinene | Monoterpene |
| 10 | 10.34 | 2.12% | beta-Pinene | Monoterpene |
| 11 | 10.70 | 0.03% | 6-Methyl-5-hepten-2-one | Aliphatic Ketone |
| 12 | 10.92 | 1.07% | Myrcene | Monoterpene |
| 13 | 11.07 | 0.03% | 6-Methyl-5-hepten-2-ol | Aliphatic Alcohol |
| 14 | 11.29 | 0.02% | 2-Carene | Monoterpene |
| 15 | 11.58 | 1.82% | alpha-Phellandrene | Monoterpene |
| 16 | 11.69 | 3.26% | delta-3-Carene | Monoterpene |
| 17 | 12.06 | 0.07% | alpha-Terpinene | Monoterpene |
| 18 | 12.39 | 1.36% | para-Cymene | Monoterpene |
| 19 | 12.61 | 3.49% | Limonene | Monoterpene |
| 20 | 12.70 | 0.36% | 1,8-Cineole | Monoterpene Ether |
| 21 | 12.98 | 0.48% | (Z)-beta-Ocimene | Monoterpene |
| 22 | 13.44 | 0.36% | (E)-beta-Ocimene | Monoterpene |
| 23 | 13.93 | 0.11% | gamma-Terpinene | Monoterpene |
| 24 | 15.16 | 0.15% | Terpinolene | Monoterpene |
| 25 | 15.88 | 0.09% | Linalool | Monoterpenol |
| 26 | 16.20 | 0.05% | alpha-Pinene oxide | Monoterpene Ether |
| 27 | 16.85 | 0.02% | Octan-3-yl acetate | Aliphatic Ester |
| 28 | 17.03 | 0.56% | alpha-Campholene aldehyde | Monoterpene Aldehyde |
| 29 | 17.20 | 0.07% | Alloocimene | Monoterpene |
| 30 | 17.32 | 0.01% | cis-Limonene oxide | Monoterpene Ether |
| 31 | 17.51 | 0.02% | Nopinone | |
| 32 | 17.64 | 0.68% | trans-Pinocarveol | Monoterpenol |
| 33 | 17.74 | 0.31% | cis-Verbenol | Monoterpenol |
| 34 | 17.91 | 1.22% | trans-Verbenol | Monoterpenol |
| 35 | 18.55 | 0.05% | Pinocamphone | Monoterpene Ketone |

Client



Source

*Frankincense Sacra (Boswellia sacra)*

OM-59066

| Number | RT | Area % | Compound Name | Chemical Family |
|--------|--------|--------|---------------------------|---------------------|
| 36 | 18.641 | 0.18% | Pinocarvone | Monoterpene Ketone |
| 37 | 19.12 | 0.92% | para-Mentha-1,5-dien-8-ol | Monoterpenol |
| 38 | 19.52 | 0.20% | Terpinen-4-ol | Monoterpenol |
| 39 | 19.69 | 0.01% | para-Methylacetophenone | Simple Phenolic |
| 40 | 19.84 | 0.11% | para-Cymen-8-ol | Monoterpenol |
| 41 | 20.21 | 0.64% | alpha-Terpineol | Monoterpenol |
| 42 | 20.69 | 0.58% | Verbenone | Monoterpene Ketone |
| 43 | 21.31 | 0.12% | trans-Carveol | Monoterpenol |
| 44 | 22.40 | 0.03% | Carvone | Monoterpene Ketone |
| 45 | 22.65 | 0.02% | cis-Carveol | Monoterpenol |
| 46 | 24.26 | 0.45% | Bornyl acetate | Monoterpene Ester |
| 47 | 27.02 | 0.11% | alpha-Terpinyl acetate | Monoterpene Ester |
| 48 | 27.88 | 0.03% | Cyclosativene | Sesquiterpene |
| 49 | 28.24 | 0.16% | alpha-Copaene | Sesquiterpene |
| 50 | 28.56 | 0.61% | beta-Bourbonene | Sesquiterpene |
| 51 | 28.85 | 0.77% | beta-Elemene | Sesquiterpene |
| 52 | 29.56 | 0.02% | alpha-Gurjunene | Sesquiterpene |
| 53 | 30.04 | 0.38% | cis-Caryophyllene | Sesquiterpene |
| 54 | 30.48 | 0.07% | beta-Copaene | Sesquiterpene |
| 55 | 31.51 | 0.12% | alpha-Humulene | Sesquiterpene |
| 56 | 31.70 | 0.04% | allo-Aromadendrene | Sesquiterpene |
| 57 | 32.36 | 0.09% | gamma-Muurolene | Sesquiterpene |
| 58 | 32.57 | 0.19% | Germacrene D | Sesquiterpene |
| 59 | 32.88 | 0.43% | beta-Selinene | Sesquiterpene |
| 60 | 33.18 | 0.21% | alpha-Selinene | Sesquiterpene |
| 61 | 33.34 | 0.05% | alpha-Muurolene | Sesquiterpene |
| 62 | 33.89 | 0.03% | gamma-Cadinene | Sesquiterpene |
| 63 | 33.96 | 0.03% | epi-Cubebol | Sesquiterpenol |
| 64 | 34.13 | 0.19% | beta-Cadinene | Sesquiterpene |
| 65 | 35.27 | 0.01% | Elemol | Sesquiterpenol |
| 66 | 35.70 | 0.04% | 30.24 Liguloxide | Sesquiterpene Ester |
| 67 | 36.49 | 0.05% | Caryophyllene oxide | Sesquiterpene Ether |
| 68 | 37.55 | 0.05% | Viridiflorol | Sesquiterpenol |
| 69 | 37.76 | 0.05% | Guaiol | Sesquiterpenol |
| 70 | 39.23 | 0.04% | beta-Eudesmol | Sesquiterpenol |

- Essential Oil testing is performed by using qualitative GC-MS. Method: SOP.T.01 Client Method
 - This report may not be published without the consent of Essential Validation Services.
 - Chromatograph image may be requested
 - This report is valid for 1 year from the analyzed date